



**INTERNATIONAL JOURNAL OF
PHARMACEUTICAL SCIENCES**
[ISSN: 0975-4725; CODEN(USA):IJPS00]
Journal Homepage: <https://www.ijpsjournal.com>



Review Article

A Review On Medicinal Properties Of Simarouba Glauca DC

Sahana K.^{*1}, Hanumanthachar Joshi K.²

¹Department of Postgraduate, Studies and Research Division of Pharmacognosy and Photochemistry, Sarada Vilas College of Pharmacy, K. M. Puram, Mysore-04, Karnataka, India

²Department of Postgraduate, Studies and Research Division of Pharmacognosy and Photochemistry, Sarada Vilas College of Pharmacy, K. M. Puram, Mysore-04, Karnataka, India

ARTICLE INFO

Received: 11 March 2024

Accepted: 15 March 2024

Published: 17 March 2024

Keywords:

Simarouba glauca,
Phytochemicals,
Pharmaceuticals,
Nutraceuticals.

DOI:

10.5281/zenodo.10827223

ABSTRACT

The review explores the medicinal properties of Simarouba glauca, a plant with a rich history in traditional medicine. Focusing on its morphology, distribution, cultivation, commercial uses and phytochemical composition. Also, the paper delves into the diverse bioactive compounds present in various plant parts, emphasizing their potential therapeutic applications. Simarouba glauca exhibits notable anti-inflammatory, antioxidant, anticancer and antimicrobial activities, attributing to compounds like quassinoids, flavonoids, alkaloids, triterpenes, steroids, anthraquinones and coumarins. These bioactive constituents contribute to the plant's efficacy in treating various ailments, including infections, inflammation-related disorders, oxidative stress-related conditions and few other pharmacological actions. The review consolidates findings from in vitro and in vivo studies, shedding light on the plant's pharmacological evaluation and exploring its potential in drug development. Moreover, the paper addresses the plant's role in traditional medicine across different cultures, underscoring its historical significance. The synthesis of scientific evidence underscores Simarouba glauca as a promising source for novel Pharmaceuticals and Nutraceuticals. Overall, the comprehensive analysis presented in this review highlights the need for further research and clinical trials to unlock the full therapeutic potential of Simarouba glauca in modern medicine.

INTRODUCTION

THE PARADISE TREE- SIMAROUBA GLAUCA.

Simarouba glauca DC belonging to family Simaroubaceae, is generally known as paradise tree. Simaroubaceae family includes 32 genera and further 170 species of trees. It is a medium sized

***Corresponding Author:** Sahana K.

Address: Department of Postgraduate, Studies and Research Division of Pharmacognosy and Photochemistry, Sarada Vilas College of Pharmacy, K. M. Puram, Mysore-04, Karnataka, India

Email ✉: ksahana279@gmail.com

Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.



evergreen tree (1). *Simarouba glauca* DC stands for De Candolle pertaining to Augustin Pyramus De Candolle, a Swiss botanist who made significant benefactions in describing and classifying the below plant. It's one of the important herbal medicines used against dysentery hence its bark is also known as dysentery bark. It's a popular plant in several Nations due to its medicinal qualities and whose medicines are safe to use with no serious side effects (2). It's an evergreen tree showing a great eventuality as energy crop and medicinally significant factory. It has presently created great enthusiasm as miraculous tree of solace for cancer cases. It's also generally known by the names Paradise Tree, Aceituno, and Bitter wood (3).

PLANT DESCRIPTION

The mature tree attains a height of (25- 27 m) and a stem periphery of (40- 50 cm), frequently with a clear, spherical bole to 9m. The crown is narrow, with a range averaging (4- 6 m). *Simarouba glauca* develops a shallow root system frequently suitable to mountain soils (4). Leaves are dark green above, oblong, and frequently notched or smooth at the apex. The specific name 'glauca' means covered with a bloom, which refers to the bluish-green leafage. It is deduced from the Greek work 'glaukos'(bluish). The tree is dioecious, with both androgynous and bisexual flowers. It's pollinated by bees (5).



Fig No. 1. Young Leaves Of Simarouba Glauca



Fig no. 2 Paradise tree

Geographical distribution

The tree has been brought from evergreen timbers of Central America in mid-1960's to India and presently this Paradise Tree also called as "Lakshmi Taru ", has flourished in numerous states like Maharashtra, Orissa, Karnataka, Tamilnadu, Kerala and have recently been planted in other states like Andhra Pradesh, Gujarat, Rajasthan, and West Bengal (6).

Cultivation

The tree grows well in tropical regions. The cultivation relies on several factors like-rainfall and soil humidity. The tree can grow in hot climate up to 50 °C. It grows in plateaus of 3300 feet from ocean position. The maximum height of the tree is 40 to 50 feet. The flowers are yellowish with purplish fruits (7).

Commercial uses

All parts of this tree serve as promising agents in manure, timber, food, energy, medicinal diligence, etc. The tree has been well suited for all the geographical regions of India. It prevent soil corrosion, support soil microbial life, reclaim wastelands, and increase ground water situations. Apart from its current popular benefits similar as product of oil painting gallettes, biofuel, compost etc., this tree was traditionally consumed to cure malaria and gastrointestinal diseases. Literature

of cancer (8). The usage of the kernels of *Simarouba glauca* as an implicit resource of vegetable oil painting was first noted in 1939. These kernels induce up to 66 edible oil during the commercial extraction processes.

Ethnobotanical aspects

Leaves and bark of *Simarouba* have been used as a natural drug in tropical areas. *Simarouba* bark as an effective treatment for malaria and dysentery. Other indigenous lineage throughout the South uses bark for complications, dysentery and malaria as a haemostatic agent to stop bleeding and as an alcohol. It's used externally for blisters and injuries (9). The bark (and sometimes the root) is boiled in water to yield an important tanga and alcohol used to wash skin blisters and to treat dysentery, diarrhoea, stomach and bowel diseases, haemorrhages and internal bleeding. *Simarouba* excerpt is used for reducing patchy skin saturation. *Simarouba* is subject of one US Patent, whereby its water excerpt was set up to increase skin keratinocyte isolation and to ameliorate skin hydration and moisturization. The seeds extracted in alcohol are used against snakebites. An infusion of the bark is used against malaria, rheumatism, shingles and fever (10).

Taxonomy of *Simarouba glauca* (11)

Kingdom	Plantae
Subkingdom	Tracheobionta
Super Division	Spermatophyta
Division	Magnoliophyta
Class	Magnoliopsida
Subclass	Rosidae
Order	Sapindales
Family	Simaroubaceae
Genus	<i>Simarouba</i>
Species	<i>glauca</i>

Chemical ingredients in *Simarouba glauca*.

The significant bioactive groups of chemicals that have been reported in *Simarouba* are the quassinoids, flavonoids, alkaloids (12). These composites are responsible for antiprotozoal and antimalarial properties which have been proved veritably long time ago (13). The quassinoids

constituents found abundantly in all species of *Simarouba*, namely aianthinone, glaucarubinone, and holacanthone are honoured as the main medicinal ingredients which are also recorded for anticancer properties (14). The splint, seed, dinghy and fruit of *S glauca* are used as tanga, analgesic, and emmenagogue, antiviral, antimicrobial, and vermifuge due to the remedial value of its phytochemicals. The water excerpt of *Simarouba glauca* increased the skin keratinocyte isolation, bettered the skin hydration, moisturization and reduced the patchy saturation in the skin (15).

Therapeutic significance of *Simarouba glauca*.

1. Antibacterial activity

Extract of SG leaves has possible antibacterial activity against both Gram-positive and Gram-negative. Microorganisms such as *Bacillus subtilis* (BS), *Escherichia coli* (EC), *Pseudomonas aeruginosa* (PA), and *Staphylococcus Aureus* (SA) are inhibited by fresh and dried extracts of SG leaves *Simarouba Glauca* (16). Soxhlet instruments were used to collect the ethanol and the methanol excerpts of dried and fresh SG leaves. Extracts of SG were shown averagely successful in inhibiting BS, EC, PA, and SA. Studies showed that the crude methanol and ethanol excerpts made from dried and fresh SG leaves have inhibited BS, SA, PA, and EC progress. Numerous studies have proved the antimicrobial exertion of *simarouba glauca* plant (17).

2. Antifungal activity

Methanolic and ethanolic extracts of both fresh and dried leaves were tested for their inhibitory exertion against the pathogenic fungi such as *Fusarium oxysporum* and *Aspergillus parasiticus*. Testing of the crude extracts for the antifungal exertion using well proximity assay showed strong inhibition against the tested fungus (18). Ethanolic extracts of both the fresh and dried leaves were set up to be more effective as compared to methanolic extracts against the growth of the fungi. Other

studies also showed that the extracts of *Simarouba glauca* is more effective against *Aspergillus parasiticus* as compared to *Fusarium oxysporum* (19).

3. Antioxidant activity

Simarouba glauca leaves are having antioxidant characteristics (20). Extracts of SG leaves has been linked to have an association with antioxidants. SG chloroform excerpt was able of scavenging H₂O₂. Chloroform, ethanol and methanol excerpts of *S. glauca* leaves have shown the free revolutionary scavenging capability according to dose dependent manner (21). Excerpts were highly effective in scavenging free radicals, DPPH and chelating radical iron with high circumstance of scavenging like chelating ferrous iron and DPPH. Thus, SG excerpts retain good antioxidant action (22).

4. Anticancer activity

Simarouba decoction prepared has been traditionally used for the treatment of cancer and their tumours. There's a notable anticancer action in several species within the family of the *Simaroubaceae*. The quassinoids (ailanthinone, glaucarubinone, and holacanthone) set up in *Simarouba* showed the anticancer action in P388 lymphocytic leukaemia and cytotoxic effect of the plant against KB cells (23). Leaf excerpt with different detergents have shown cytotoxicity in a many cancer cell lines. In vitro cytotoxicity has been shown against KB cells, by quassinoids such as glaucarubin, glaucarubinone, glaucarubol, and glaucarubolone. Quassinoids SG seed ingredients Bruceantin, bruceantinol, glaucarubinone and simalikalctone D are among the strongest Quassinoids with antitumor action. In vivo study has proved that the composites isolated from *Simarouba* own anticancer action in different cell lines (24).

5. Anti-proliferation and pro-apoptotic activity

Studies were conducted to evaluate the anti-proliferative and pro-apoptotic activities of

simarouba glauca on prostate cancer cell lines PC-3. A cross-sectional study was conducted, the evaluation was designed through apoptotic and membrane depolarisation assays. Methanol excerpt of SG at 0.29 µg/ml, 29µg/ml and 290µg/ml doses were used, while rifampicin acted as the positive control and dimethyl sulfoxide acted as the negative control. Results showed that the methanol excerpt inhibited 50% of the PC-3 cells at a mean attention of 35.24 ±0.23 µg/mL compared to 15.31 ±1.83 µg/mL for positive control. The excerpts pushed PC3 cells significantly into early apoptosis compared to the positive control. Results suggested anti proliferative action of the plant extract (25).

6. Anti-inflammatory activity

Studies were conducted to estimate the anti-inflammatory effect of isolated Squalene (SQ), a triterpenoid from *Simarouba glauca* in carrageenan-induced acute inflammation. Squalene (SQ) was characterized by FT-IR and NMR and in-vitro studies were done on experimental creatures (26). SQ at a dose of 5.0 mg/kg body weight was set up to be the minimum dose for maximum oedema inhibition. Antioxidant labels such as SOD, Catalase and GPx were increased significantly. These results suggested that the anti-inflammatory action of SQ and its multi-targeted medium of action, earning its importance in remedial efficacy in various inflammatory conditions (27).

7. Anti-microbial activity

Studies were designed to analyse the phytochemical profile of the methanol excerpt of *simarouba glauca*, and bioactive composites were identified using chromatography, FTIR and GCMS. Antimicrobial action and minimal Inhibitory Concentration (MIC) were determined against 14 bacterial and 6 fungal strains (28). The ethanolic and methanolic excerpts showed exclusive action against *S. aureus* and profound action against *E. coli* and *S. marcescens*. Upon

comparing breakpoints, methanolic extract demonstrated advanced antimicrobial action with a MIC value of 3.2 mg/ mL against the test pathogens (29).

8. Anti-malarial activity

Studies have shown that three potent Quassinoids in SG are in vitro as well as in vivo active against malaria. Some Quassinoids in SG have demonstrated strong inhibitory action of a Plasmodium falciparum strain which is resistant to chloroquine. 6α - tigloyloxychaparrinone, ailanthone, eurycomanone, isobrucein B, orinocinolid, neosergeolide, pasakbumin B and C, and simalikalactone D have been linked to be major antimalarial Quassinoids. These ingredients significantly reduced parasites in Plasmodium berghei-infected mice. Dichloromethane fractions were screened for their cytotoxicities on Artemia salina (Neptune shrimp) larvae, and 50% inhibitory concentrations were determined for Plasmodium falciparum in in-vitro studies. Both chloroquine-susceptible and resistant strains of P. Falciparum were significantly inhibited by these extracts. Out of all dichloromethane extracts, only the S. glauca cortex extract was considered to be poisonous to A. salina in the Neptune shrimp test (30).

9. Antiamoebic activity

Tests were done to detect the antiamoebic action of plant extracts prepared from the traditional Simarouba glauca stems. The exertion was associated with quassinoid- containing fractions (31). The 50% inhibitory concentrations for some quassinoids against amoebae were determined by using the microdilution system. Bruceantin, the most active quassinoid and glaucarubol showed known antiamoebic activity against Plasmodium falciparum. The microdilution process will be useful in the discovery for new antiamoebic medicines (32).

10. Antiulcer activity

The chloroform extract of SG showed dose-dependent inhibition of ethanol-induced gastric lesions in albino rats, causing 82.63 protection at 400 mg/ kg, and 53.48 protection at 200 mg/kg, Chloroform extract of SG also showed dose-dependent inhibition of indomethacin- convulsed gastric lesions in albino rats, causing 62.65 protection at 400 mg/ kg and 54.86 protection at 200 mg/ kg, Chloroform Extract of the leaves of SG dropped the acidity and increased the mucosal concealment, therefore SG shows antiulcer action (33).

11. Hepatoprotective activity

A study revealed that the chloroform and ethanolic extracts of Simarouba glauca lowered the increased levels of ALP, SGPT and SGOT and reduced the histological changes caused by paracetamol damage (34).

12. Reducing Patchy Skin Saturation activity

SG extract showed constituents with capability of reducing patchy skin saturation (US Patent dated 14 October 1997), whereby its water extract was set up to increase skin keratinocyte isolation and also to increase the skin hydration and moisturization and reduced the patchy pigmentation in the skin (35).

13. Haemolytic activity

The three extracts (chloroform, methanol, ethyl acetate) of Simarouba glauca were screened for haemolytic action. The haemolytic action was determined using agar diffusion technique on blood agar plate, thrombolytic action by clot dislocation and phytochemical potential by qualitative analysis (36). The haemolytic action was found to be advanced in ethyl acetate extract than methanol, chloroform. The chloroform and ethyl acetate extracts showed 23.68 and 21.60 clotlytic activity whereas standard streptokinase shows 34.86% in thrombolytic assay. Thus, study shows that all the extract of leaves of Simarouba glauca has haemolytic activity (37).

14. Acaricidal property



Simarouba glauca seed oils were estimated against Red Spider Mite (RSM) under laboratory conditions. Among the tested treatments, S. glauca at 5ml/ L achieved significant mortality over adult RSM (38). Simarouba glauca seed oils achieved about 90 of egg mortality (39). The oviposition deterrence study reveals that the least number of eggs were laid on the treatments of Simarouba glauca seed oil at 5ml/ L which achieved the highest Discrimination Quotient (DQ) value 0.58. Thus, SG seed oils could be used as an effective alternate source to control RSM due to its good acaricidal, ovicidal and oviposition deterrence action (40).

15. Anti-hypertensive activity

Studies have shown that this plant retain potentiality of lowering the elevated blood pressure. Hence, the study aimed at assessing the hypotensive prospect inherent in the aqueous extract of Simarouba glauca (AESG) on normotensive male Wistar rats (41). The data recorded on a chart, indicated the characteristic dose-dependent hypotensive effect of AESG on normotensive rats at doses of 2.5 mg/ kg and 5.0 mg/ kg, with remarkable diminishments in the systolic blood pressure (SBP), diastolic blood pressure (DBP) and mean arterial pressure (MAP) from basal levels of 127.83 ± 1.01 mmHg, 91.00 ± 1.00 mmHg and 103.27 ± 0.99 mmHg independently. The outgrowth of the primary disquisition indicates that the AESG demonstrated a hypotensive effect on the Blood Pressure of normotensive male Wistar rats dependent on varying doses administered (42).

16. Anti-inflammatory Bowel Disorder activity

Trials were conducted to study and estimate the Anti-inflammatory Bowel activity of Ethylacetate extract (EASG) and chloroform (CHSG) extracts of Simarouba glauca on experimentally induced inflammation in wistar rats. The levels of phytochemicals were quantified and HPTLC study was conducted using β - sitosterol as reference. In

vitro antioxidant property of EASG and CHSG was estimated using DPPH and ABTS assay. Evaluation of IBD was done in wistar rats. EASG and CHSG held considerable amount of phytoconstituents such as flavonoid, phenols and β - sitosterol and also significantly scavenged the free revolutionaries making it a potent antioxidant. The results of macroscopic scoring and MPO position exertion suggest that EASG and CHSG at 400mg/ kg significantly reduced the inflammation in IBD induced models. In in-vitro cytotoxicity study, a significant reduction in cell damage was observed when CaCO₂ cells were pretreated with EASG and CHSG excerpts when compared to control. EASG and CHSG at 400mg/ kg significantly reduced lipid per oxidation and increased the Superoxide Dismutase (SOD), Catalase (CAT) and Glutathione peroxidase (GPx). Reduced Glutathione (GSH) situations and produced significant antioxidant activity. Thus, we can conclude that the EASG and CHSG of Simarouba glauca showed significant anti-inflammatory activity due to presence of β - sitosterol and antioxidants such as phenols and flavonoids (43).

17. Anti-dysenteric activity

Studies reported that the plant simarouba glauca has a rich source of medicinals and therefore is one of the important herbal sources to treat certain contagious and non-contagious conditions, like diarrhoea, malaria, oedema, fever haemorrhages, intestinal spongers, and colitis (44). Especially, the leaves and bark of this plant in the form of alcohol are specifically used to treat malaria, fever, dysentery, and to stop bleeding. They studied the phytochemical investigation, metal analysis, and antibacterial activity of water extracts of Simarouba glauca leaves and stem bark samples (45).

18. Analgesic activity

Studies were done to estimate the anti-inflammatory effect of isolated Squalene (SQ), a



triterpenoid from *Simarouba glauca* in carrageenan-induced acute inflammation. Squalene (SQ), a triterpenoid bit was isolated from *Simarouba glauca* and characterized by FT-IR and NMR (46). Experimental creatures were considered and SQ at a dose of 5.0 mg/ kg body weight was set up to be the minimum dose for maximum oedema inhibition. Antioxidant labels such as SOD, Catalase and GPx were increased significantly. These results suggest the anti-inflammatory action of SQ and its multi-targeted medium of action, earning its implicit remedial efficacy in various inflammatory conditions (47).

19. Anti-leukemic activity

There were study designed to estimate anticancer action of crude excerpt of *Simarouba glauca* in three cancer cell lines such as K- 562, MOLT- 3 and KG- 1. Different concentrations (2 to 64 µg/ml) of leaves extract were tested for cytotoxicity using MTT assay. Methanolic extract of *Simarouba glauca* leaves showed significant anticancer action against MOLT- 3 and K- 562 as compare to KG- 1 cell line (48- 49). The methanolic leaf excerpt of *Simarouba glauca* possesses effective action against leukemic cancer cell lines. Leaf of *Simarouba glauca* can be recommended for cancer treatment especially for leukemic cancers (50).

CONCLUSION

In developing world, the trend and utility of natural product of medicinal substances is increased in last decade over synthetic medicine, because of toxic effects. The investigation and research on medicinal plants might bring to the scientific world many useful remedies for the treatment and cure of human sufferings. The bark and leaf extract of *Simarouba* is well known for its different types of medicinal properties which are used in the treatment of infectious and non-infectious diseases such as diarrhoea, malaria, oedema, fever, intestinal parasites, and colitis. The leaf extract of this medicinal plant has potential

antimicrobial, antibacterial, antifungal, antioxidant, anticancer, anti-proliferation, anti-malarial, antimicrobial, anti-amoebic, antiulcer, anti-inflammatory, pro-apoptosis, hepatoprotective, anti-inflammatory irritable bowel activity, haemolytic, antidysentric, analgesic, anti-leukemic, antihypertensive, acaricidal, ovidical and oviposition deterrence properties. It can be concluded that further studies on this plant may be helpful for future researchers to develop some new promising pharmaceutical formulation.

REFERENCES

1. Manasi PS, Gaikwad DK. A critical review on medicinally important oil yielding plant laxmitaru (*Simarouba glauca* DC.). *Journal of pharmaceutical Sciences and Research*. 2011 Apr 1;3(4):1195.
2. Antony J, Thomas A, Gnanasekaran D. Review study on pharmacological importance of *Simarouba glauca*. *International Journal of New Technology and Research*. 2016;2(10):263412.
3. Kumar J, Agrawal V. Analysis of genetic diversity and population genetic structure in *Simarouba glauca* DC.(an important bio-energy crop) employing ISSR and SRAP markers. *Industrial crops and products*. 2017 Jun 1;100:198-207.
4. Polito JC, Devall MS. SIMAROUBA GLAUCA DC. *Arboles Utiles de la Región Tropical de América Del Norte*. 1998(3):237.
5. Pandhari RM, Taranath TC. Pharmacognostic Evaluation of *Simarouba glauca* DC Bark. *European Journal of Medicinal Plants*. 2023 Oct 18;34(9):60-83.
6. Baratakke RC, Patil CG. Cytological investigations in poly-gamo-dioecious tree *Simarouba glauca* DC. *The Nucleus*. 2010 Aug;53(1-2):33-6.
7. Bangar SS, Deshmukh AG, Dudhare MS. Phytochemical screening of *Simarouba glauca*



- DC. Green Farming. 2009;13(1 (Special 1)):955-6.
8. Puranik SI, Ghagane SC, Nerli RB, Jalalpure SS, Hiremath MB. Evaluation of in vitro antioxidant and anticancer activity of Simarouba glauca leaf extracts on T-24 bladder cancer cell line. *Pharmacognosy Journal*. 2017;9(6).
 9. TRS RM, Vendrapati RR, Ramakrishna KK, Bhat S. Pharmacognostical Studies on the Leaves of Lakshmitaru (Simarouba Glauca Dc.), a Well Known Anti-Cancerous Plant. *World J Pharm Pharm Sci*. 2016.
 10. Chanda S. Importance of pharmacognostic study of medicinal plants: An overview. *Journal of pharmacognosy and phytochemistry*. 2014;2(5):69-73.
 11. Joshi, S., Joshi, S., OIL TREE- Laxmitaru glauca, PP: 86. University of Agricultural sciences, Bangalore and Indian council of Agricultural Research, New Delhi, India. 2002.
 12. Duke, J. A., Handbook of medicinal herbs. CRC press, Boca Raton, FL., 1985.
 13. Morton, J. F., Major medicinal plants. C. C. Thomas, Publisher, Springfield IL. 1977.
 14. Harborne JB. (1973). *Phytochemical dictionary. A handbook of bioactive compounds from plants*. Taylor and Francis, London.
 15. Hill AF. (1952). *Economic botany: A Textbook of Useful Plants and Plant Product*, 2nd edn. McGraw-Hill Book Company Inc., New York.
 16. Nagaraj N, Hegde V, Gowda SK, Achur RN, Thippeswamy NB. Phytochemical analysis of Simarouba glauca DC and its antibacterial activity against MDR Salmonella Typhi. *Journal of Pharmaceutical Sciences and Research*. 2021 Jun 1;13(6):351-6.
 17. Jangale BL, Ugale TB, Aher PS, Toke NR, Shivangikar AN, Sanap NT. Antibacterial activity of Simarouba glauca leaf extracts against food borne spoilage and pathogenic microorganisms. *International Journal of Pharmaceutical Sciences and Research*. 2012 Feb 1;3(2):497.
 18. Mikawlawng K, Kaushik S, Pushker A, Kumar S, Kameshwor M, Sharma G. Comparative in vitro antifungal activities of Simarouba glauca against *Fusarium oxysporum* and *Aspergillus parasiticus*. *J. Med. Plant Studies*. 2014;2:1-7.
 19. Bangar SS, Deshmukh AG, Dudhare MS, Moharil MP. Antifungal and antibacterial activities of Simarouba glauca leaf and bark extracts. *Journal of Plant Disease Sciences*. 2009;4(2):237-8.
 20. Haleshappa R, Patil SJ, Siddalinga Murthy SM. Phytochemical analysis, in vitro evaluation of antioxidant and free radical scavenging activity of Simarouba glauca seeds. *Adv Pharmacol Pharm*. 2021;9(1):01-8.
 21. Santhosh SK, Venugopal A, Radhakrishnan MC. Study on the phytochemical, antibacterial and antioxidant activities of Simarouba glauca. *South Indian Journal of Biological Sciences*. 2016;2(1):119-24.
 22. Ramasamy SP, Rajendran A, Pallikondaperumal M, Sundararajan P, Husain FM, Khan A, Hakeem MJ, Alyousef AA, Albalawi T, Alam P, Ali HM. Broad-spectrum antimicrobial, antioxidant, and anticancer studies of leaf extract of Simarouba glauca DC in vitro. *Antibiotics*. 2022 Jan 3;11(1):59.
 23. Shalal OS, Irayyif SM. Evaluation of cytotoxicity and Apoptotic effects of Simarouba glauca on the Prostate Cancer Cell Lines PC3.
 24. Mathew SE, Ramavarma SK, Babu TD, Kuzhivelil BT, Raghavamenon AC. Preliminary assessment on phytochemical

- composition, cytotoxic and antitumor efficacy of *Simarouba glauca* DC. Leaf methanolic extract. *Ann. Phytomed.* 2019;8(2):121-6.
25. Giridasappa A, Ismail SM, Rangappa D, Shanubhoganahalli Maheshwarappa G, Marilingaiah NR, Gollapalli SS, Daddakunche Shivaramu P. Antioxidant, antiproliferative and antihemolytic properties of phytofabricated silver nanoparticles using *Simarouba glauca* and *Celastrus paniculatus* extracts. *Applied Nanoscience.* 2021 Oct;11:2561-76.
 26. Jose SP, Sukumaran S, Mohanan R, Saji S, Asish A, George SM. Anti-inflammatory Effect of Squalene Isolated from *Simarouba glauca* in Experimental Animal Model. *Pharmacognosy Research.* 2023;15(4).
 27. Abdullah nt, khair nh, koneri r. Screening of the anti-inflammatory activity of *simarouba glauca* extract against formaldehyde induced inflammation in rats.
 28. Rudraswamy S, Hombarvali JS, Kenganora M, Doggalli N, Godhi BS, Srinivas S. Antimicrobial Activity of *Simarouba glauca* Leaf Extracts Against Oral Pathogens– An In Vitro Study. *Journal of Orofacial Sciences.* 2023 Jan 1;15(1):8-15.
 29. Fernández-Calienes Valdés A, Mendiola Martínez J, Scull Lizama R, Vermeersch M, Cos P, Maes L. In vitro anti-microbial activity of the Cuban medicinal plants *Simarouba glauca* DC, *Melaleuca leucadendron* L and *Artemisia absinthium* L. *Memorias do Instituto Oswaldo Cruz.* 2008;103:615-8.
 30. Franssen FF, Smeijsters LJ, Berger I, Medinilla Aldana BE. In vivo and in vitro antiplasmodial activities of some plants traditionally used in Guatemala against malaria. *Antimicrobial agents and Chemotherapy.* 1997 Jul;41(7):1500-3.
 31. Wright CW, O'Neill MJ, Phillipson JD, Warhurst DC. Use of microdilution to assess in vitro antiamebic activities of *Brucea javanica* fruits, *Simarouba glauca* stem, and a number of quassinoids. *Antimicrobial Agents and Chemotherapy.* 1988 Nov;32(11):1725-9.
 32. Yoganandam GP, Periyamayagam K, Ilango K, Biswas D, Gowri R. in vitro anti-amoebic activity of stem bark of *simarouba glauca*, roxb (*simaroubaceae*). *Newslett Pharmacol Onli.* 2009;1:27-34.
 33. Ridahunlang N. Evaluation of Leaf Extracts of *Simarouba Glauca* on Experimentally Induced Inflammatory Bowel Diseases in Wistar Rats (Doctoral dissertation, KMCH College of Pharmacy, Coimbatore).
 34. John PP, Jose N, Carla Sr B. Preliminary pharmacological screening of *Simarouba glauca* DC leaf extracts for hepatoprotective activity. *World J Pharm Pharmaceut Sci.* 2016 Jan 15;5:1714-24.
 35. Mohit MS, Khan MD. Pharmacological uses of *Simarouba glauca*: a review.
 36. Lakshmi KS, Sangeetha D, Sivamani S, Tamilarasan M, Rajesh TP, Anandraj B. In vitro antibacterial, antioxidant, haemolytic, thrombolytic activities and phytochemical analysis of *Simarouba glauca* leaves extracts. *International Journal of Pharmaceutical Sciences and Research (IJPSR).* 2014;5(2):432-7.
 37. Hemanth Kumar NK, Murali M, Satish A, Brijesh Singh S, Gowtham HG, Mahesh HM, Lakshmeesha TR, Amruthesh KN, Jagannath S. Bioactive and biocompatible nature of green synthesized zinc oxide nanoparticles from *Simarouba glauca* DC.: An endemic plant to western Ghats, India. *Journal of Cluster Science.* 2020 Mar;31:523-34.
 38. Nirar Dam BP, Valparai C. Exploration of acaricidal properties of certain seed oils against the Red Spider Mite (RSM), *Oligonychus coffeae* Nietner (Tetranychidae: Acarina) infesting tea.

39. Mansingh A, Williams LA. Pesticidal potential of tropical plants—II. Acaricidal activity of crude extracts of several Jamaican plants. *International Journal of Tropical Insect Science*. 1998 Jun;18:149-55.
40. Nirar Dam BP, Valparai C. Exploration of acaricidal properties of certain seed oils against the Red Spider Mite (RSM), *Oligonychus coffeae* Nietner (Tetranychidae: Acarina) infesting tea.
41. Osagie-Eweka SD, Orhue NE, Amaechina FC, Omogbai EK, Moke EG. Preliminary Investigative Study on the Blood Pressure-Lowering Potential of Aqueous Leaf Extract of *Simarouba glauca* (AESG) on Normotensive Adult Wistar Rats. *Biology, Medicine, & Natural Product Chemistry*. 2023;12(1):1-4.
42. Patil MS, Gaikwad DK. Effect of pgrs on the activity of enzyme lipase in medicinally important oil yielding *simarouba glauca* seedlings. *Plant Physiol.*;44:35.
43. Ariharasivakumar G, Karthikaa T, Nongkhlaw R, Packialakshmi P. Evaluation of Leaf extracts of *Simarouba glauca* on Experimentally Induced Inflammatory Bowel Diseases in Wistar rats. *Research Journal of Pharmacy and Technology*. 2020;13(4):1888-94.
44. Pawar KR, Janavale GB, Wagh SG, Panche AN, Daspute AA, Pohare MB, Harke SN. Phytochemical analysis of *Simarouba glauca* Dc. and Comparison of its Bioactivity. *Asian Journal of Immunology*. 2019 Dec 26:1-1.
45. Hussain MS, Khan MD. Pharmacological Uses of *Simarouba glauca*: A Review. *Plant Archives* (09725210). 2021 Apr 1;21(1).
46. Antony J, Thomas A, Gnanasekaran D. Review study on pharmacological importance of *Simarouba glauca*. *International Journal of New Technology and Research*. 2016;2(10):263412.
47. Antony j, gnanasekaran d, thomas a. In vivo anti-inflammatory activity studies on *simarouba glauca* leaves.
48. Prajapati C, Reddy M, Bhatt M. Evaluation of anticancer activity using leaf extract of *Simarouba glauca* on leukemic cancer cell lines. *Evaluation*. 2018 Mar;3(2):52-6.
49. Vikas B, Kunjiraman S, Rajam SS, Anil S. The Apoptotic Properties of Leaf Extracts of *Simarouba glauca* against Human Leukemic Cancer Cells. *Asian Pacific Journal of Cancer Prevention: APJCP*. 2021 Apr;22(4):1305.
50. Jose A, Kannan E, Kumar PR, Madhunapantula SV. Therapeutic potential of phytochemicals isolated from *Simarouba glauca* for inhibiting cancers: A review. *Systematic Reviews in Pharmacy*. 2019;10(1):73-80.

HOW TO CITE: Sahana K., Hanumanthachar Joshi K., A Review On Medicinal Properties Of *Simarouba Glauca* DC, *Int. J. of Pharm. Sci.*, 2024, Vol 2, Issue 3, 569-578. <https://doi.org/10.5281/zenodo.10827223>